



WA	II	0.3	(0.3)	35-40°
WA	II	0.4	(0.5)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	II	0.3	(0.3)	20-25°
WA	I	0.25	(0.25)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	II	0.3	(0.6)	33-40°
----	----	-----	-------	--------

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.4	(0.4)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.4	(0.4)	40-45°
WA	I	0.4	(0.4)	40-45°

WA	I	0.4	(0.4)	40-45°
WA	I	0.4	(0.4)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.4	(0.4)	40-45°
WA	I	0.4	(0.4)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°

WA	I	0.3	(0.3)	40-45°
WA	I	0.3	(0.3)	40-45°